


```

ClassMethod ZREFERENCE()
{
    SET ^MyData(1)="fruit"
    SET ^MyData(1,1)="apples" ; ??????????
    SET ^(^2)="oranges" ; ???????, ?? ^MyData(1,2)
    WRITE !,$ZREFERENCE ; Returns "^MyData(1,2)"
}

```

```
DHC-APP>d ##class(PHA.TEST.SpecialVariables).ZREFERENCE()
```

```
^MyData(1,2)
```

???????

??\$ZREFERENCE????????????????????????????????????InterSystems IRIS?????????????

- ???
- ???
- ???

????????\$ZREFERENCE??

??\$ZREFERENCE???

\$ZREFERENCE????????????????????(???)????????????????\$ZREFERENCE?????????????

?????\$ZREFERENCE????????????GLOBAL?

- ???\$ZREFERENCE????????????????????????????(??????\$ORDER???)
- ?????????????????????????????
- ?ZWRITE???InterSystems IRIS?\$ZREFERENCE????????????????????????????????
- ?????????????????????????????????????<unfined>??????\$INCREMENT????????????????

??\$ZREFERENCE

```

????set????????????????????
- ?????????(???)????????????????????????????????????????InterSystems IRIS???<naked>???
- ?????????????(????????)????????????????????????????????????????????????????????

```

????SET????????????\$ZREFERENCE????????????<SYNTAX>???

??

????????????????????

```

/// d ##class(PHA.TEST.SpecialVariables).ZREFERENCE1()
ClassMethod ZREFERENCE1()
{
    SET ^a(1,1)="Hello" ; ??????????
    SET ^(^2)=" world!" ; ??????????
}

```

???? Caché ??? \$ZREFERENCE ??

Published on InterSystems Developer Community (<https://community.intersystems.com>)

```
WRITE $ZREFERENCE
}
```

```
DHC-APP>d ##class(PHA.TEST.SpecialVariables).ZREFERENCE1()
^a(1,2)
```

?????????????????????????????WRITE?ZWRITE????????????????????

```
/// d ##class(PHA.TEST.SpecialVariables).ZREFERENCE2()
ClassMethod ZREFERENCE2()
{
  SET (^barney,^betty,^wilma,^fred)="flintstone"
  WRITE !,"1:"_ $ZREFERENCE
  KILL ^flies
  WRITE !,"2:"_ $ZREFERENCE
  WRITE !,^fred
  WRITE !,"3:"_ $ZREFERENCE,!
  ZWRITE ^fred
  WRITE !,"4:"_ $ZREFERENCE
}
```

```
DHC-APP>d ##class(PHA.TEST.SpecialVariables).ZREFERENCE2()
```

```
1:^fred // ?????????????????????????????????????????
2:^flies // KILL????????????????????????????????????
flintstone
3:^fred
^fred="flintstone"

4:^fred("")
```

??

```
/// d ##class(PHA.TEST.SpecialVariables).ZREFERENCE3()
ClassMethod ZREFERENCE3()
{
  SET ^["samples"]a(1,1)="Hello"
  SET ^(2)=" world!"
  WRITE $ZREFERENCE
  QUIT
}
```

```
DHC-APP>d ##class(PHA.TEST.SpecialVariables).ZREFERENCE3()
^["SAMPLES"]a(1,2)
```

????????????????????????????????????^a(1)???\$LENGTH??????

```
/// d ##class(PHA.TEST.SpecialVariables).ZREFERENCE4()
```

```

ClassMethod ZREFERENCE4()
{
    SET ^a(1)="abcdefghijklmnopqrstuvwxy"
    SET ^b(1)="1234567890"
    SET x=$LENGTH(^a(1))
    WRITE $ZREFERENCE
    QUIT
}

```

```

DHC-APP>d ##class(PHA.TEST.SpecialVariables).ZREFERENCE4()
^a(1)

```

????????\$ZREFERENCE????????????????????????????????????^a(1?)?

```

/// d ##class(PHA.TEST.SpecialVariables).ZREFERENCE5()
ClassMethod ZREFERENCE5()
{
    SET ^a(1,1)="abcdefghijklmnopqrstuvwxy"
    SET ^b(1,1)="1234567890"
    WRITE !,^ (1) ; ?????????????????????
    SET $ZREFERENCE="^a(1,1)"
    WRITE !,$ZREFERENCE
    WRITE !,^ (1) ; ???????$ZREFERENCE?????????????????.
}

```

```

DHC-APP>d ##class(PHA.TEST.SpecialVariables).ZREFERENCE5()

1234567890
^a(1,1)
abcdefghijklmnopqrstuvwxy

```

????????????????????????????????

```

/// d ##class(PHA.TEST.SpecialVariables).ZREFERENCE6()
ClassMethod ZREFERENCE6()
{
    KILL ^x
    WRITE !,$ZREFERENCE
    SET $ZREFERENCE="^[ "samples" ]a(1,2)"
    WRITE !,$ZREFERENCE
}

```

```

DHC-APP>d ##class(PHA.TEST.SpecialVariables).ZREFERENCE6()

^x
^[ "SAMPLES" ]a(1,2)

```

???? Caché ???? \$ZREFERENCE ??

Published on InterSystems Developer Community (<https://community.intersystems.com>)

Log in or sign up to continue
????

? **URL:** <https://cn.community.intersystems.com/post/%E7%AC%AC%E5%9B%9B%E5%8D%81%E7%AB%A0-ca-ch%C3%A9-%E5%8F%98%E9%87%8F%E5%A4%A7%E5%85%A8-zreference-%E5%8F%98%E9%87%8F>