


???? ????SQL???

??
[??](#) · ?? 23  ????? 12 ??

???? ????SQL???

???? ????SQL???

??SQL??

??SQL????????????SQL????????SQL????????SQL????????????????SQL????????ODBC?JDBC????????InterSystems
IRIS????????????????????????????????SQL????????SQL??ObjectScript???????

??SQL??Dynamic
SQL??Dynamic SQL???

??SQL?????SQL????????????????SQL?????????????SELECT???

??SQL????InterSystems IRIS SQL Shell?InterSystems IRIS????????“????”??SQL????????“????????????”?

?Dynamic SQL????????????????????????????????3,641,144?????

??SQL????SQL

??SQL????SQL?????????????

- ??SQL????????????????SQL????????????????????????????????SQL????SQL??
- ??SQL??“?”?????????????????????????.var????SQL?????????????????.var??
- ?????????Data????API????SQL????????SQL????????var??SELECT???.INTO?????????????
- ??SQL????SQLCODE??Message??ROWCOUNT??ROWID????????SQL????SQLCODE??msg??ROW
COUNT??ROWID????????SQL????SELECT????ROWID????SQL????SELECT????ROWID?
- ??SQL??
- ??SQL??SQL????????????????????????????????Embedded SQL??SQL????
- ??SQL????????????????????????????????????SQL????????SQL????????????SQL????????????

??SQL????SQL??NULL???

?SQL.Statement?

??SQL????????SQL.Statement????????????SQL????????SQL.Statement????????SQL????????SQL????????????SQ
L.StatementResult????? SQL??SQLCODE??Message
????????????????????????????????SQL????????SELECT????????????SQL.StatementResult????????????????

??ObjectScript????????SQL???

```
/// d ##class(PHA.TEST.SQL).DynamicSQL()
```

???? ????SQL???

```
ClassMethod DynamicSQL()  
{  
    /* ????SQL.Statement?? */  
    SET myquery = "SELECT TOP 5 Name,DOB FROM Sample.Person"  
    SET tStatement = ##class(%SQL.Statement).%New()  
    SET qStatus = tStatement.%Prepare(myquery)  
    IF qStatus'=1 {  
        WRITE "%Prepare ??"  
        DO $System.Status.DisplayError(qStatus)  
        QUIT  
    }  
    SET rset = tStatement.%Execute()  
    DO rset.%Display()  
    WRITE !,"End of data"  
}
```

```
DHC-APP>d ##class(PHA.TEST.SQL).DynamicSQL()  
Name    DOB  
yaoxin  54536  
xiaoli  
??      63189  
??      63189  
??      50066
```

5 Rows(s) Affected
End of data

??????????SQL.Statement??SQL.StatementResult???????

??????????

?????New??????????SQL.Statement??????

SET tStatement = ##class(%SQL.Statement).%New()

????????????????SQL??????SQL.Statement????????????????????SQL?????INSERT?UPDATE?DELETE???

?New???????????????????????????????

1. ?SelectMode???????????????????????????????
2. ?SchemaPath???????????????????????????????????
3. ?Dialect????Transact-SQL?TSQL?Sybase?MSSQL?????????IRIS?InterSystems SQL??

?????ObjectSelectMode??????????????New????? ?ObjectSelectMode???????????????????????????????

?????ObjectScript?????SelectMode?2??????????SchemaPath?"Sample"???????????

SET tStatement = ##class(%SQL.Statement).%New(2,"Sample")

?????ObjectScript??????????SelectMode????????????????????SchemaPath???????????????????????????????

```
SET tStatement = ##class(%SQL.Statement).%New(, "MyTests, Sample, Cinema")
```

?SelectMode??

```
?SelectMode????????0 =Logical?????1 = ODBC?2
=Display.????????????????????????????????????List????????????????????????????????
```

```
SELECT?????SelectMode?????????????????
```

```
INSERT?UPDATE?????SelectMode?????????????????
```

```
?SelectMode???????? SQL?????????????????????SelectMode?????ORDER BY?????????????????????
SQL?????????????????SelectMode?????????SQLPROC?????????????????????SQL?????????SQL?????????????????????
```

- ??SELECT?????SelectMode?????????????????????SelectMode???ODBC?Display???
 - ?SelectMode = 1?ODBC???ODBC????? InterSystems IRIS Time?????????????????????ODBC TIME?????TIME_STRUCT????????????????????? ODBC TIME????????????????????????? ADO DotNet?JDBC?????????
 - ?SelectMode = 0?????????List?????????????????????????????List?????????????????????????Dynamic SQL??List?????.\$LISTBUILD?????.\$lb("White","Green")? ?SelectMode = 1?ODBC?????List???CollectionOdbcDelimiter??? ?SelectMode = 2????List?????????????????.\$ CHAR?10,13???CollectionDisplayDelimiter???
- ??INSERT?UPDATE?????SelectMode???RUNTIME?????????????????SQL?
 - ?????????INSERT?UPDATE???.Display?ODBC ?SelectMode???

```
?????SelectMode?????New?????????????????????????????????????????????????????????????
```

```
SET tStatement = ##class(%SQL.Statement).%New(2)
```

```
SET tStatement = ##class(%SQL.Statement).%New()
SET tStatement.%SelectMode=2
```

```
?????????SelectMode??????
```

```
/// d ##class(PHA.TEST.SQL).DynamicSQL1()
ClassMethod DynamicSQL1()
{
    SET tStatement = ##class(%SQL.Statement).%New()
    WRITE !, "???????=", tStatement.%SelectMode
    SET tStatement.%SelectMode=2
    WRITE !, "???????=", tStatement.%SelectMode
}
```

```
DHC-APP>d ##class(PHA.TEST.SQL).DynamicSQL1()
```

```
???????=0
???????=2
```

```
?????.$SYSTEM.SQL.Util.GetOption("SelectMode") ??????????SelectMode?????????n????0 =???1 = ODBC?2 =
Display?????.$SYSTEM.SQL.Util.SetOption("SelectMode",n)
```

?????????SelectMode?????????SelectMode?????????SelectMode?????????

?SchemaPath??

?SchemaPath??SELECT?CALL?INSERT?TRUNCATE
TABLE????????????DROP TABLE????????

?? InterSystems IRIS???????????????????? InterSystems
IRIS??

??
- CURRENT_PATH??
- ???SQL.Statement??#SQLCompile
Path??
- DEFAULT_SCHEMA??
??

?SchemaPath?InterSystems IRIS??InterSystems
IRIS????????????????????

?????????SchemaPath?????????New??

```
SET path="MyTests,Sample,Cinema"  
SET tStatement = ##class(%SQL.Statement).%New(,path)
```

```
SET tStatement = ##class(%SQL.Statement).%New()  
SET tStatement.%SchemaPath="MyTests,Sample,Cinema"
```

?????????Prepare??SchemaPath?

?????????SchemaPath??????

```
/// d ##class(PHA.TEST.SQL).DynamicSQL2()  
ClassMethod DynamicSQL2()  
{  
  SET tStatement = ##class(%SQL.Statement).%New()  
  WRITE !,"?? path=",tStatement.%SchemaPath  
  SET tStatement.%SchemaPath="MyTests,Sample,Cinema"  
  WRITE !,"?? path=",tStatement.%SchemaPath  
}
```

DHC-APP>d ##class(PHA.TEST.SQL).DynamicSQL2()

?? path=
?? path=MyTests,Sample,Cinema

?????ClassPath?????????SchemaPath????????????????????????????????

```
/// d ##class(PHA.TEST.SQL).DynamicSQL3()  
ClassMethod DynamicSQL3()
```

```
{
  SET tStatement = ##class(%SQL.Statement).%New()
  SET tStatement.%SchemaPath=tStatement.%ClassPath("Sample.Person")
  WRITE tStatement.%SchemaPath
}
```

```
DHC-APP>d ##class(PHA.TEST.SQL).DynamicSQL3()
Sample
```

%Dialect??

?Dialect????SQL?????????Sybase?MSSQL?IRIS?InterSystems SQL?? Sybase?MSSQL?????????Transact-SQL????SQL???

Sybase?MSSQL?????????SQL?????????SELECT?INSERT?UPDATE?DELETE?EXECUTE???????CREATE TABLE?????????CREATE TRIGGER?DROP TRIGGER?????CREATE TRIGGER?????????CREATE PROCEDURE?CREATE FUNCTION?

Sybase?MSSQL????IF????? IRIS?InterSystems SQL?????????

????InterSystems SQL????????“????????” IRIS”

????Dialect????New??

??New?????????Dialect?

```
/// d ##class(PHA.TEST.SQL).DynamicSQL4()
ClassMethod DynamicSQL4()
{
  SET tStatement = ##class(%SQL.Statement).%New(,,"Sybase")
  WRITE "????????=",tStatement.%Dialect
}
```

```
DHC-APP>d ##class(PHA.TEST.SQL).DynamicSQL4()
????????=Sybase
```

?????Dialect???

```
/// d ##class(PHA.TEST.SQL).DynamicSQL5()
ClassMethod DynamicSQL5()
{
  SET tStatement = ##class(%SQL.Statement).%New()
  SET defaultdialect=tStatement.%Dialect
  WRITE "????????=",defaultdialect,!
  SET tStatement.%Dialect="Sybase"
  WRITE "????????=",tStatement.%Dialect,!
  SET tStatement.%Dialect="IRIS"
  WRITE "????????????=",tStatement.%Dialect,!
}
```

```
DHC-APP>d ##class(PHA.TEST.SQL).DynamicSQL5()
????????=
```

???? ????SQL???

???????=Sybase

???????=iris

???DialectSet????????Dialect????????????????

```
/// d ##class(PHA.TEST.SQL).DynamicSQL6()
ClassMethod DynamicSQL6()
{
    SET tStatement = ##class(%SQL.Statement).%New()
    SET tStatus = tStatement.%DialectSet("Sybase")
    IF tStatus'=1 {
        WRITE "%DialectSet ??:"
        DO $System.Status.DisplayError(tStatus) QUIT
    }
    WRITE "???????=",tStatement.%Dialect
}
```

DHC-APP>d ##class(PHA.TEST.SQL).DynamicSQL6()
???????=Sybase

?DialectSet????????Status?????????1????????0????????????????????????????????????tStatus =
0?????????????????\$\$ISOK?tStatus?= 0??????????

?ObjectSelectMode??

?ObjectSelectMode????????????ObjectSelectMode =
0????????SELECT????????????????????????????????????ObjectSelectMode =
1??SELECT????????????????????????????????????

?ObjectSelectMode????????SELECT????????????????????swizzleable????????ObjectSelectMode =
0????????????swizzleable????????????SQL??RowID????????????????ObjectSelectMode =
1???????????????????????????????????? swizzling?

????ObjectSelectMode????New???????

????????ObjectSelectMode????????ObjectSelectMode????????ObjectSelectMode??

```
/// d ##class(PHA.TEST.SQL).DynamicSQL7()
ClassMethod DynamicSQL7()
{
    SET myquery = "SELECT TOP 5 %ID AS MyID,Name,Age FROM Sample.Person"
    SET tStatement = ##class(%SQL.Statement).%New()
    WRITE !,"?? ObjectSelectMode=",tStatement.%ObjectSelectMode
    SET tStatement.%ObjectSelectMode=1
    WRITE !,"?? ObjectSelectMode=",tStatement.%ObjectSelectMode
}
```

DHC-APP>d ##class(PHA.TEST.SQL).DynamicSQL7()

?? ObjectSelectMode=0
?? ObjectSelectMode=1

???? ????SQL???

Published on InterSystems Developer Community (<https://community.intersystems.com>)

????????????????????????????????ObjectSelectionMode = 1????“????????????”????????????????????????????????

?SELECT????????????????????????????????ObjectSelectionMode = 1? ?ObjectSelectionMode????swizzle????SelectionMode = 1?2???oref?????????????

[#SQL](#) [#Caché](#) [#InterSystems IRIS](#) [#InterSystems IRIS for Health](#)

00 1 0 0 83

Log in or sign up to continue
????

? URL: <https://cn.community.intersystems.com/post/%E7%AC%AC%E5%8D%81%E4%B8%89%E7%AB%A0-%E4%BD%BF%E7%94%A8%E5%8A%A8%E6%80%81sql%EF%BC%88%E4%B8%80%EF%BC%89>